

03/07/2018	Kit Components
Product code	Description
D5032, D5033	EZ-96 DNA Methylation-Lightning Kit, 2 x 96 Rxns.
Components:	
D5030-1 & D5032-1	Lightning Conversion Reagent
D5001-3	M-Binding Buffer
D5001-4	M-Wash Buffer
D5030-5	L-Desulphonation Buffer
D5001-6	M-Elution Buffer



Printing date 03/07/2018

Reviewed on 07/11/2016

Page 1/10

Identificati	on
Product iden	ifier
· Trade name:	Lightning Conversion Reagent
1100000 0000000	er: D5030-1 & D5032-1 f the substance / the mixture Laboratory Reagent
Manufacture Zymo Researd 17062 Murph Irvine, CA 92 USA	ch Corp. y Ave. 614 -679-1190 or 1-888-882-9682
· Emergency te	<i>department:</i> Product safety department <i>dephone number:</i> I business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190
Hazard(s)	dentification
	of the substance or mixture
GE GE	IS05 Corrosion
Skin Corr. 1C	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
Acute Tox. 4	H302 Harmful if swallowed.H312 Harmful in contact with skin.H332 Harmful if inhaled.
	<i>ements</i> The product is classified and labeled according to the Globally Harmonized System (GHS). <i>grams</i> GHS05, GHS07
Ammonium b Hazard staten Harmful if sw Causes severe Precautionar Do not breath Wash thoroug	allowed, in contact with skin or if inhaled. skin burns and eye damage. y statements e dusts or mists. hly after handling.
Do not eat dr	ink or smoke when using this product. (Contd. on page 2)



Printing date 03/07/2018

Trade name: Lightning Conversion Reagent

Reviewed on 07/11/2016

(Contd. of page 1) Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0Reactivity = 0**REACTIVITY** 0 · Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 10192-30-0 Ammonium bisulfite 45% aqueous solution 70%

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Page 2/10

(Contd. on page 3)



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

(Contd. of page 2)

- Move to fresh air environment. Contact a physician if breathing becomes difficult.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

• Extinguishing media

- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

6 Accidental release measures

 <i>Reference to other sections</i> See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. <i>Protective Action Criteria for Chemicals</i>
· PAC-1:
CAS: 10192-30-0 Ammonium bisulfite 45% aqueous solution 30 mg/m ³
· PAC-2:
CAS: 10192-30-0Ammonium bisulfite 45% aqueous solution330 mg/m³
· PAC-3:
CAS: 10192-30-0Ammonium bisulfite 45% aqueous solution2,000 mg/m³

(Contd. on page 4)

Page 3/10



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

(Contd. of page 3)

Page 4/10

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Form:LiquidColor:Clear light yellowOdor:PungentOdor threshold:Not determined.pH-value at 20 °C (68 °F):<6Change in condition Melting point/Belting range:Undetermined.Melting point/Belting range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not ApplicableUpper:Not determined.Vapor pressure:Not determined.Vapor pressure:Not determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.	Appearance:		
Odor:PungentOdor threshold:Not determined.pH-value at 20 °C (68 °F):<6Change in condition Melting point/Melting range:Undetermined.Melting point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure:Not determined.Not determined.Not determined.Vapor pressure:Not determined.Ponsity:Not determined.Evaporation rateNot determined.Solubility in / Miscibility withNot determined.	Form:	Liquid	
Odor threshold:Not determined.pH-value at 20 °C (68 °F):<6	Color:	Clear light yellow	
pH-value at 20 °C (68 °F): <6 Change in condition Undetermined. Melting point/Boiling range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not Applicable Upper: Not determined. Vapor pressure: Not determined. Density: Not determined. Vapor density Not determined. Vapor density Not determined. Evaporation rate Not determined.			
Change in condition Melting point/Melting range:Undetermined.Boiling point/Molting range:Undetermined.Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Upper:Not ApplicableVapor pressure:Not determined.Vapor pressure:Not determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.	Odor threshold:	Not determined.	
Meling point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not applicable.Decomposition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not ApplicableUpper:Not determined.Vapor pressure:Not determined.Vapor pressure:Not determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withHermined.	<i>pH-value at 20 °C (68 °F):</i>	<6	
Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Change in condition		
Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with			
Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Boiling point/Boiling range:	Undetermined.	
Ignition temperature:Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:VolumeLower:Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Flash point:	Not applicable.	
Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Flammability (solid, gaseous):	Not applicable.	
Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not ApplicableLower:Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with	Ignition temperature:		
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not ApplicableLower:Not ApplicableUpper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Decomposition temperature:	Not determined.	
Explosion limits: Not Applicable Lower: Not Applicable Upper: Not determined. Vapor pressure: Not determined. Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not determined.	Auto igniting:	Product is not selfigniting.	
Lower: Upper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not ApplicableVapor pressure:Not determined.Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Explosion limits:		
• Vapor pressure: Not determined. • Density: Not determined. • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Not determined.	Lower:	Not Applicable	
Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vertice	Upper:	Not Applicable	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Vapor pressure:	Not determined.	
Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Vertical determined.	Density:	Not determined.	
Evaporation rate Not determined. Solubility in / Miscibility with Image: Constraint of the second s	Relative density	Not determined.	
Solubility in / Miscibility with		Not determined.	
	Evaporation rate	Not determined.	
Water: Fully miscible.	Solubility in / Miscibility with		
	Water:	Fully miscible.	

Page 5/10

(Contd. of page 4)

US



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

		(Contd. of page 5)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with acids releases toxic gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

US

Page 6/10



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	11812275
· DOT, IMDG, IATA	UN3265
· UN proper shipping name	
·DOT	Corrosive liquid, acidic, organic, n.o.s. (Ammonium bisulfite 45% aqueous solution)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ammonium
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ammonium bisulfite 45% aqueous solution)

Page 7/10



Page 8/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2018

Reviewed on 07/11/2016

	(Contd. of pag
Transport hazard class(es)	
DOT	
CORROSIVE	
V	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Pa	
8	
Class	8 Corrosive substances
Label	8
	0
· Packing group · DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	
	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Contd. on page 9)



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

(Contd. of page 8)

Page 9/10

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* GHS05, GHS07

· Signal word Danger

• *Hazard-determining components of labeling:* Ammonium bisulfite 45% aqueous solution

Annionium disunne 45% aqueous solution

• *Hazard statements* Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 10)

US



Printing date 03/07/2018

Reviewed on 07/11/2016

Trade name: Lightning Conversion Reagent

(Contd. of page 9)

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 03/07/2018 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Page 10/10



Printing date 03/07/2018

Reviewed on 11/13/2015

Page 1/9

Product iden	tifion
	-
	M-Binding Buffer
	<i>ber:</i> D5001-3, D5002-3, D5005-3, D5006-3, D5040-3 <i>of the substance / the mixture</i> Laboratory Reagent
<i>Manufactur</i> Zymo Resea 17062 Murp Irvine, CA 9 USA	rch Corp. ny Ave. 2614 9-679-1190 or 1-888-882-9682
54 Gibbes St Australia Phone: 02 94	iences Pty.LTD., reet, Chatswood NSW 2067, 17 7866
	5066 itedsci.com.au <i>elephone number:</i> Toll-Free: 1 800 252 204 (Monday-Friday 8.00 am - 6.00 pm)
	identification
Classificatio	identification n of the substance or mixture HS07
Classificatio	n of the substance or mixture HS07
Classificatio	n of the substance or mixture HS07 H302 Harmful if swallowed.
Classificatio Gl Acute Tox. 4 Skin Irrit. 2	n of the substance or mixture HS07
Classificatio Glassificatio Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2A Label elemen GHS label el Hazard picto	n of the substance or mixture HS07 H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H310 Causes eye irritation. H310 Causes Serious eye irritation. H310 Causes Serious eye irritation. H310 Causes eye irritation. H
Classificatio Classificatio Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2A Label elemen GHS label el Hazard picto Signal word Hazard-dete guanidinium	n of the substance or mixture HS07 H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. MS lements The product is classified and labeled according to the Globally Harmonized System (GHS). In grams GHS07 Warning rmining components of labeling: chloride
Classificatio Classificatio Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2A Label eleme GHS label el Hazard picto Signal word Hazard-dete guanidinium Hazard state Harmful if sy Causes skin	n of the substance or mixture HS07 H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irr
Classificatio Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2A Label elemen GHS label elemen GHS label elemen GHS label elemen Hazard picto Signal word Hazard-dete guanidinium Hazard state Harmful if sy Causes skin Causes serio Precautiona	n of the substance or mixture HS07 H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irritation. H310 Causes serious eye irr
Classificatio Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2A Label elemen GHS label elemen GHS label elemen GHS label elemen Hazard picto Signal word Hazard-dete guanidinium Hazard state Harmful if sy Causes skin Causes serio Precautiona Wash thorou	 <i>n of the substance or mixture</i> H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. <i>nts</i> <i>lements</i> The product is classified and labeled according to the Globally Harmonized System (GHS). <i>grams</i> GHS07 Warning <i>rmining components of labeling:</i> chloride <i>ments</i> vallowed. rritation. as eye irritation.



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Binding Buffer

(Contd. of page 1) If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2FIRE Fire = 00 Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable.

· *vPvB*: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 50-01-1 guanidinium chloride

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

≤60%

Page 2/9



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 2)

Trade name: M-Binding Buffer

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- *Environmental precautions:*Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water. *Methods and material for containment and cleaning up:*
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 50-01-1 guanidinium chloride	1.4 mg/m3
· PAC-2:	
CAS: 50-01-1 guanidinium chloride	16 mg/m3
· PAC-3:	
CAS: 50-01-1 guanidinium chloride	94 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Binding Buffer

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* Laboratory reagent

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Page 4/9

us —



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 4)

Trade name: M-Binding Buffer

• Eye protection: Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	T 1 1 1
Form:	Liquid
Color:	Clear
Odor: Odor threshold:	undistinguishable Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.

Page 5/9



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Binding Buffer

	(Contd. of	page 5)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	30.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

US

Page 6/9



Printing date 03/07/2018

Trade name: M-Binding Buffer

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, ADN, IMDG, IATA not regulated · UN proper shipping name · DOT, ADN, IMDG, IATA not regulated • Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class not regulated · Packing group · DOT, IMDG, IATA not regulated · Environmental hazards: Not applicable. · Special precautions for user Not applicable. (Contd. on page 8) US

Page 7/9

Reviewed on 11/13/2015

(Contd. of page 6)



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 7)

Page 8/9

Trade name: M-Binding Buffer

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

not regulated

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS07

· Signal word Warning

• Hazard-determining components of labeling: guanidinium chloride

• *Hazard statements* Harmful if swallowed. Causes skin irritation.

Causes serious eye irritation.



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 8)

Page 9/9

Trade name: M-Binding Buffer

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Rinse mouth.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 03/07/2018 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

US



Printing date 03/07/2018

Reviewed on 11/13/2015

Page 1/8

· Prod	uct identifier
· Trad	e name: M-Wash Buffer
	le number: D5001-4, D5002-4, D5007-4, D5040-4 ication of the substance / the mixture Laboratory Reagent
· Deta	ils of the supplier of the safety data sheet
	ufacturer/Supplier:
	P Research Corp.
	2 Murphy Ave.
Irvin	e, CA 92614
USA	
Phor	e: 1-949-679-1190 or 1-888-882-9682
sds@	zymoresearch.com
· Info	mation department:
Integ	rated Sciences Pty.LTD.,
54 C	ibbes Street, Chatswood NSW 2067,
Aust	alia
Phor	e: 02 9417 7866
Fax:	02 9417 5066
tech	@integratedsci.com.au

2 Hazard(s) identification

• *Classification of the substance or mixture* The product is not classified according to the Globally Harmonized

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.

(Contd. on page 2)

- -) -- US



Printing date 03/07/2018

Trade name: M-Wash Buffer

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

None of the ingredients is listed.

(Contd. on page 3)

Page 2/8

Reviewed on 11/13/2015

(Contd. of page 1)



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 2)

Page 3/8

Trade name: M-Wash Buffer

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

US



Printing date 03/07/2018

Trade name: M-Wash Buffer

• *Eye protection:* Goggles recommended during refilling.

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not Applicable
Upper:	Not Applicable
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl

Page 4/8

Reviewed on 11/13/2015

(Contd. of page 3)

US



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 4)

Page 5/8

Trade name: M-Wash Buffer

• Other information

No further relevant information available.

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.

(Contd. on page 6)



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 5)

Trade name: M-Wash Buffer

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• *vPvB*: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

· Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	<i>f</i> Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 \cdot Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

US

Page 6/8



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 6)

Page 7/8

Trade name: M-Wash Buffer

· Section 313	(Specific toxic	c chemical	listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682
Contact: sds@zymoresearch.com
Date of preparation / last revision 03/07/2018 / Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

US



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Wash Buffer

(Contd. of page 7)

US

Page 8/8

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 03/07/2018

Reviewed on 11/13/2015

 Product identifier Trade name: L-Desulphonation Buffer Article number: D5030-5, D5031-5, D5046-5 Application of the substance / the mixture Laboratory Reagent Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. T/062 Murphy Ave. Tvrine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS04 elements GHS04 elements GHS02, GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS02, GHS07 Fignal word Warning Hazard-fetermining components of labeling: propan-2-01 ethanial Hazard pictograms GHS02, GHS07 Signal word Warning Hazard pictograms of labeling: propal-2-01 <li< th=""><th>-</th><th></th></li<>	-	
 Trade name: L-Desulphonation Buffer Article number: D5030-5, D5031-5, D5046-5 Application of the substance / the mixture Laboratory Reagent Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. T/062 Murphy Ave. Ivrine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification Classification of the substance or mixture Classification of the substance or dizzness. Intervention Classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS07 Signal word Warning Hazard elements Hazard element	1 Identification	
 Article number: D5030-5, D5031-5, D5046-5 Application of the substance / the mixture Laboratory Reagent Details of the substance / the mixture Laboratory Reagent Datails of the substance / the mixture Laboratory Reagent Manufacture/Supplier of the sqfety data sheet Manufacture/Supplier: Zymo Research Corp. 17062 Murphy Ave. Ivrine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sck@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification c Ide	· Product identifier	
 Application of the substance / the mixture Laboratory Reagent Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 stds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification 2 Hazard(s) identification Classification of the substance or mixture View CHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. View CHS07 Eye Irrit. 2A H319 Causes serious eye irritation. STOT EF 3 H336 May cause drowsiness or dizziness. Label elements Hazard-determining components of labeling: propan-2-01 ethanol Hazard-determining radio receiving equipment. Use explosio	Trade name: L-Desulphonation Buffer	
 Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 ssts@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification Classification of the substance or mixture of HS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS1 babel elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard bictograms GHS02, GHS07 Signal word Warning Hazard determining components of labeling: propan-2-01 ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Patard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Procantionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		
 Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification Classification of the substance or mixture	 Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 	
During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification • Classification of the substance or mixture • Our of the substance or mixture • Hazard substance or our of the substance or our our our our our our our our our		
 2 Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard-determining components of labeling: propan-2-ol ethanol Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		190
 Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pietograms GHS02, GHS07 Signal word Warning Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS07 Signal word Warning Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		
 STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS07 Signal word Warning Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		
 STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS07 Signal word Warning Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 	Eve Irrit, 2A H319 Causes serious eve irritation.	
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS07 Signal word Warning Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. 		
propan-2-ol ethanol • <i>Hazard statements</i> Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. • <i>Precautionary statements</i> Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.	• <i>GHS label elements</i> The product is classified and labeled according to the Globally H • <i>Hazard pictograms</i> GHS02, GHS07	Harmonized System (GHS).
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.	propan-2-ol ethanol • <i>Hazard statements</i> Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. • <i>Precautionary statements</i>	
	Ground/bond container and receiving equipment.	
	Use explosion-proof electrical/ventilating/lighting/equipment.	(Contd. on page 2)

Page 1/12



Printing date 03/07/2018

CAS: 1310-73-2 sodium hydroxide

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer (Contd. of page 1) Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ² Health = 2FIRE 3 Fire = 3Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 67-63-0 propan-2-ol 30% CAS: 64-17-5 ethanol 30%

(Contd. on page 3)

2.5%

Page 2/12



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. *Special hazards arising from the substance or mixture*
- Products of thermal decomposition of this material would include caustic vapors as well as sodium and sulfur compounds.
- · Advice for firefighters
- · Protective equipment:
- Wear protective clothing, including self-contained breathing apparatus, for fighting fires involving this material.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

	·1AC-1.		
ſ	CAS: 67-63-0	propan-2-ol	400 ppm
	CAS: 64-17-5	ethanol	1,800 ppm
	CAS: 1310-73-2	sodium hydroxide	0.5 mg/m ³
		(Co	ontd. on page 4)

Page 3/12



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

		(Contd. of page 3)
· PAC-2:		
CAS: 67-63-0	propan-2-ol	2000* ppm
CAS: 64-17-5	ethanol	3300* ppm
CAS: 1310-73-2	sodium hydroxide	5 mg/m ³
· PAC-3:		
CAS: 67-63-0	propan-2-ol	12000** ppm
CAS: 64-17-5	ethanol	15000* ppm
CAS: 1310-73-2	sodium hydroxide	50 mg/m ³

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols. • Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store in cool, dry place. Store in well-ventilated location.
- *Information about storage in one common storage facility:* Do not store together with acids, chlorinated solvents, and reactive metals (e.g. aluminum, phosphorous, tin/tin oxides, zinc).
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm
 - Long-term value: 980 mg/m³, 400 ppm

(Contd. on page 5)

US



Printing date 03/07/2018

112 10015

Page 5/12

Trade name: L-Desulphonation Buffer

Reviewed	on	11/13/2015

	(Contd. of page 4
TLV	Short-term value: 984 mg/m ³ , 400 ppm
	Long-term value: 492 mg/m ³ , 200 ppm BEI
a ta	
	64-17-5 ethanol
	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm
CAS:	1310-73-2 sodium hydroxide
PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³
· Ingre	dients with biological limit values:
CAS:	67-63-0 propan-2-ol
BEI 4	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
]	Parameter: Acetone (background, nonspecific)
· Addit	ional information: The lists that were valid during the creation were used as basis.
· Expos	sure controls
	nal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	l contact with the eyes and skin.
	hing equipment:
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	atory protective device that is independent of circulating air.
· Prote	ction of hands:
1117	Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

• Eye protection: Tightly sealed goggles

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear light yellow
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	<30 °C (<86 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.

Page 6/12

(Contd. of page 5)



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

	(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	58.0 %	
VOC content:	58.00 %	
	580.0 g/l / 4.84 lb/gl	
Solids content:	1.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

3

US

Page 7/12



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1993
\cdot UN proper shipping name	
$\cdot DOT$	Flammable liquids, n.o.s. (Ethanol, Isopropanol)
·IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL
	ALCOHOL), ISOPROPANOL (ISOPROPYL ALCOHOL))
·IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL, ISOPROPANOL
	(ISOPROPYL ALCOHOL))

Page 8/12



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer (Contd. of page 8) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3 · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, IATA III · Environmental hazards: Not applicable. Warning: Flammable liquids · Special precautions for user · Danger code (Kemler): 30 · EMS Number: F-E,<u>S-E</u> · Stowage Category А · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 60L On cargo aircraft only: 220L · IMDG 5L \cdot Limited quantities (LQ) • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANOL, ISOPROPANOL), 3, III

(Contd. on page 10)

119

Page 9/12



Printing date 03/07/2018

Trade name: L-Desulphonation Buffer

Reviewed on 11/13/2015

(Contd. of page 9)

Page 10/12

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 propan-2-ol

CAS: 64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* GHS02, GHS07

· Signal word Warning

• *Hazard-determining components of labeling:* propan-2-ol ethanol

· Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 11)

A4

A3

⁻US



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: L-Desulphonation Buffer

Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 03/07/2018 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Contd. on page 12)

Page 11/12

(Contd. of page 10)



Printing date 03/07/2018

Trade name: L-Desulphonation Buffer

Reviewed on 11/13/2015

(Contd. of page 11)

US

Page 12/12

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



Printing date 03/07/2018

Reviewed on 11/13/2015

· Pro	duct identifier
· Tra	de name: M-Elution Buffer
	icle number: D5001-6, D5002-6, D5007-6, D5041-6 Dication of the substance / the mixture Laboratory Reagent
	ails of the supplier of the safety data sheet
	nufacturer/Supplier:
	no Research Corp.
	62 Murphy Ave.
	ne, CA 92614
US.	-
	one: 1-949-679-1190 or 1-888-882-9682
sds	@zymoresearch.com
· Infe	ormation department:
	grated Sciences Pty.LTD.,
	Gibbes Street, Chatswood NSW 2067,
Aus	stralia
Pho	one: 02 9417 7866
Fax	: 02 9417 5066
tech	n@integratedsci.com.au

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

US

Page 1/8



Printing date 03/07/2018

Trade name: M-Elution Buffer

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· Environmental precautions:

Dilute with plenty of water.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)

Reviewed on 11/13/2015

(Contd. of page 1)

US



Printing date 03/07/2018

Reviewed on 11/13/2015

(Contd. of page 2)

Trade name: M-Elution Buffer

· Protective Action	Criteria for Chemicals
---------------------	------------------------

· PAC-1:		
CAS: 1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m3
CAS: 6381-92-6	Edetate Disodium, Dihydrate	30 mg/m3
· PAC-2:		
CAS: 1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m3
CAS: 6381-92-6	Edetate Disodium, Dihydrate	330 mg/m3
· PAC-3:		
CAS: 1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m3
CAS: 6381-92-6	Edetate Disodium, Dihydrate	2,000 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- *Specific end use(s)* Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Elution Buffer

· Material of gloves

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

Appearance:	T''1	
Form:	Liquid	
Color: Odor:	Clear Odorless	
Odor: Odor threshold:	Not determined.	
	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

Page 4/8



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Elution Buffer

		(Contd. of page 4
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	2.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

US

Page 5/8



Printing date 03/07/2018

Trade name: M-Elution Buffer

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

1 5		
· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
		(Contd. on page

(Contd. on page 7)

Page 6/8

Reviewed on 11/13/2015

(Contd. of page 5)



Printing date 03/07/2018

Trade name: M-Elution Buffer

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

not regulated

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Page 7/8

Reviewed on 11/13/2015

(Contd. of page 6)



Printing date 03/07/2018

Reviewed on 11/13/2015

Trade name: M-Elution Buffer

(Contd. of page 7)

Page 8/8

16 Oth	per information
	s information is based on our present knowledge. However, this shall not constitute a guarantee for any specific luct features and shall not establish a legally valid contractual relationship.
· Dep	artment issuing SDS:
_	no Research Corp.
Safe	ty Department
	52 Murphy Ave.
	ne, CA 92614
USA	
	ne: 1-949-679-1190 or 1-888-882-9682
	<i>tact:</i> sds@zymoresearch.com
	e of preparation / last revision 03/07/2018 / -
	reviations and acronyms:
	: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
	ingerous Goods by Road)
	G: International Maritime Code for Dangerous Goods
	: International Air Transport Association
	CS: European Inventory of Existing Commercial Chemical Substances
	ICS: European List of Notified Chemical Substances
	Chemical Abstracts Service (division of the American Chemical Society)
	: Volatile Organic Compounds (USA, EU)
	Persistent, Bioaccumulative and Toxic
	: very Persistent and very Bioaccumulative Threshold Limit Value
	Permissible Exposure Limit
	Recommended Exposure Limit