


02/27/2017	Kit Components
Product code	Description
D6010-FM & D6012-FM	Quick-DNA Fecal/Soil Microbe 96 Magbead Kit (2 x 96 Preps)
Components:	
D6001-3-40	Lysis Solution
D4077-1-150	Quick-DNA MagBinding Buffer
D3004-5-15	DNA Pre-Wash Buffer
D3004-2-50	g-DNA Wash Buffer
D3004-4-1	DNA Elution Buffer
D4100-2-6	MagBinding Beads



Printing date 02/27/2017

Reviewed on 02/03/2016



(Contd. on page 2)

Page 1/8



Printing date 02/27/2017

Trade name: Lysis Solution

Reviewed on 02/03/2016

(Contd. of page 1)

≤20%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• *Description:* Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 6381-92-6 Edetate Disodium, Dihydrate

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 6381-92-6	Edetate Disodium, Dihydrate		30 mg/m3
CAS: 77-86-1	trometamol		18 mg/m3
		(Cor	ntd. on page 3)

Contd of page

– ÚS



Printing date 02/27/2017

Reviewed on 02/03/2016

Trade name: Lysis Solution

		(Contd. of page 2)
· PAC-2:		
CAS: 6381-92-6	Edetate Disodium, Dihydrate	330 mg/m3
CAS: 77-86-1	trometamol	190 mg/m3
· PAC-3:		
CAS: 6381-92-6	Edetate Disodium, Dihydrate	2,000 mg/m3
CAS: 77-86-1	trometamol	1,200 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Page 3/8

US



Printing date 02/27/2017

Reviewed on 02/03/2016

(Contd. of page 3)

Trade name: Lysis Solution

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Goggles recommended during refilling.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Page 4/8



Printing date 02/27/2017

Reviewed on 02/03/2016

Trade name:	Lysis	Solution
-------------	-------	----------

(Contd. of page 4)

• Solvent content: Organic solvents:

• Other information

0.0 % 0.0 g/l / 0.00 lb/gl No further relevant information available.

10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 6381-92-6 Edetate Disodium, Dihydrate

Oral LD50 2000 mg/kg (rat)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)

Page 5/8



Printing date 02/27/2017

Trade name: Lysis Solution

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

not regulated	
not regulated	
not regulated	
not regulated	
Not applicable.	
Not applicable.	
of Not applicable.	
	not regulated not regulated not regulated Not applicable. Not applicable.

Page 6/8

(Contd. of page 5)

Reviewed on 02/03/2016



Printing date 02/27/2017

Trade name: Lysis Solution

· UN ''Model Regulation'':

not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 7647-14-5 Sodium chloride

CAS: 77-86-1 trometamol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Reviewed on 02/03/2016

(Contd. of page 6)

(Contd. on page 8)

Page 7/8



Printing date 02/27/2017

Trade name: Lysis Solution

Reviewed on 02/03/2016

(Contd. of page 7)

16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Department issuing SDS:
Zymo Research Corp.
Safety Department
17062 Murphy Ave.
Irvine, CA 92614
USA
Phone: 1-949-679-1190 or 1-888-882-9682
• Contact: sds@zymoresearch.com
· Date of preparation / last revision 02/27/2017 / -
· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
US-

Page 8/8



Printing date 02/27/2017

Reviewed on 02/27/2017

Page 1/11

T Thinks une 02/21/2017	
1 Identification	
· Product identifier	
· Trade name: Quick-DNA MagBinding Buffer	
• Article number: D4077-1-150 • Application of the substance / the mixture Laboratory Reagent	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
Information department: Product safety department	
• <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190	
2 Hazard(s) identification	
• Classification of the substance or mixture GHS05 Corrosion	
Consistent Consistent	
Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.	
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmon Hazard pictograms GHS05, GHS07 Signal word Danger 	ized System (GHS).
Hazard-determining components of labeling: guanidinium thiocyanate	
• <i>Hazard statements</i> Harmful if swallowed.	
Causes severe skin burns and eye damage.	
Harmful to aquatic life with long lasting effects. • <i>Precautionary statements</i>	
Do not breathe mist/vapours/spray.	
Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.	
	(Contd. on page 2)
	US —



Printing date 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

Reviewed on 02/27/2017

Page 2/11

(Contd. of page 1) Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous con	ponents:	
CAS: 593-84-0	guanidinium thiocyanate	≤50%
CAS: 56-81-5	glycerol	≤50%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

• After inhalation:

(Contd. of page 2)

Supply fresh air. If required, provide artificial respiration if trained to do so. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Rinse mouth

DO NOT induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. *Special hazards arising from the substance or mixture*
- Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.
- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear self-contained breathing apparatus for responding to non-incidental release of this material i	n which there is
the potential for inhalation of vapors, mists or sprays	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
	(Contd. on page 4)

- US



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

(Contd. of page 3	5)

• Protective Actio	n Criteria for Chemicals	
· PAC-1:		
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m3
CAS: 56-81-5	glycerol	45 mg/m3
· PAC-2:		
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m3
CAS: 56-81-5	glycerol	180 mg/m3
· PAC-3:		
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m3
CAS: 56-81-5	glycerol	1,100 mg/m3

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Page 4/11



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

· Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

· Personal protective equipment:

 \cdot General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



9 Physical and chemical properties

- \cdot Information on basic physical and chemical properties
- General Information
- · Appearance: Form:
- Color:
- · Odor:
- Odor threshold:
- · pH-value:

Liquid Clear Mild Not determined. Not determined.

(Contd. on page 6)

Page 5/11

(Contd. of page 4)



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

	(Contd. of page
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.9 Vol %
Upper:	0.0 Vol %
Vapor pressure at 20 °C (68 °F):	0.1 hPa
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	50.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
Solids content:	50.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers

(Contd. on page 7)

Page 6/11

US



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

· Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 593-84-0 guanidinium thiocyanate

EC50 42.4 mg/kg (daphnia)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

Page 7/11

(Contd. of page 6)



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1760
	0111/00
· UN proper shipping name	
·DOT	Corrosive liquids, n.o.s. (guanidinium thiocyanate)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
· Transport hazard class(es)	
·DOT	
CORROSIVE	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III

(Contd. of page 7)



Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

	(Contd. of page
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Stowage Category	А
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely nazaraous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

(Contd. on page 10)

Page 9/11

US



Page 10/11

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2017

Reviewed on 02/27/2017

Trade name: Quick-DNA MagBinding Buffer

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- Hazard-determining components of labeling: guanidinium thiocyanate
 Hazard statements
 Harmful if swallowed.
 Causes severe skin burns and eye damage.
 Harmful to aquatic life with long lasting effects.
 Precautionary statements
 Do not breathe mist/vapours/spray.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Avoid release to the environment.
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave.

(Contd. on page 11)

US



Printing date 02/27/2017

Reviewed on 02/27/2017

Page 11/11

Trade name: Quick-DNA MagBinding Buffer (Contd. of page 10) Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/27/2017 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3



Printing date 02/27/2017

Reviewed on 02/02/2016

Page 1/11

Printing date 02/27/2017	Reviewed on 02/02/2010
1 Identification	
· Product identifier	
· Trade name: DNA Pre-Wash Buffer	
• Article number: D3004-5-15, D3004-5-30, D3004-5-50, D3004-5-250 • Application of the substance / the mixture Laboratory Reagent	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
· Information department: Product safety department	
• <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949)	0) 670 1100
• Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.	
· Label elements	
 GHS label elements GHS label elements The product is classified and labeled according to the G Hazard pictograms GHS02, GHS07 Signal word Danger 	lobally Harmonized System (GHS).
· Hazard-determining components of labeling:	
guanidinium chloride propan-2-ol	
· Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed. Causes skin irritation.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
	(Contd. on page 2)



Printing date 02/27/2017

Reviewed on 02/02/2016

	(Contd. of pag
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves / eye protection / face protection.	
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	ton/shower
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr Continue rinsing.	lesent and easy to do.
Specific treatment (see on this label).	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Take off contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international re-	egulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 1\\ \textbf{Fire} = 3 \end{array}$	
$1 0 \text{File} = 5 \\ \text{Reactivity} = 0$	
Keacuvity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 Health = 1	
FIRE 3 Fire = 3	
REACTIVITY $\begin{bmatrix} 0 \end{bmatrix}$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <i>PBT</i> : Not applicable.	
• <i>vPvB</i> : Not applicable.	

Page 2/11



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 2)

≤50%

≤50%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• *Description:* Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol

CAS: 50-01-1 guanidinium chloride

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

- Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

Page 3/11



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 67-63-0 propan-2-olPELLong-term value: 980 mg/m³, 400 ppmRELShort-term value: 1225 mg/m³, 500 ppm

- Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

CAS: 67-63-0 propan-2-ol

(Contd. on page 5)

US -

Page 4/11

(Contd. of page 3)



Printing date 02/27/2017

Reviewed on 02/02/2016

Page 5/11

Trade name: DNA Pre-Wash Buffer

(Contd. of page 4) BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information

• Appearance: Form:

Color:

Liquid Clear

(Contd. on page 6)

US



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

	(Contd. of page
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>80 °C (>176 °F)
Flash point:	13 °C (55 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.0 Vol %
Vapor pressure at 20 $\bullet C$ (68 $\bullet F$):	43 hPa (32 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	49.0 %
VOC content:	49.0 %
	490.0 g/l / 4.09 lb/gl
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

Page 6/11

US



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

US

3

(Contd. of page 6)



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

· Uncleaned packagings:

· Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1219
UN proper shipping name	
DOT	Isopropanol mixture
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) mixture
Transport hazard class(es)	
DOT	
FLAMMABLE LIQUID	
V	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Stowage Category	В

Page 8/11



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

	(Contd. of p	bage
· Transport in bulk according to Annex L	I of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
• Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	
· IMDG		
· Limited quantities (LQ)	1L	
$\cdot Excepted$ quantities ($\widetilde{E}Q$)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN ''Model Regulation'':	UN 1219 ISOPROPANOL MIXTURE, 3, II	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 propan-2-ol

(Contd. on page 10)

A4

Page 9/11



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

N	OSH-Ca (National Institute for Occupational Safety and Health)
No	one of the ingredients is listed.
H	HS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). azard pictograms GHS02, GHS07 gnal word Danger
Т. Н	azard-determining components of labeling:
	anidinium chloride
	opan-2-ol
	azard statements
	ghly flammable liquid and vapor.
	armful if swallowed.
	auses skin irritation.
	auses serious eye irritation.
	ay cause drowsiness or dizziness.
	ecautionary statements
	eep away from heat/sparks/open flames/hot surfaces. No smoking.
	se explosion-proof electrical/ventilating/lighting/equipment.
	void breathing dust/fume/gas/mist/vapors/spray
	ear protective gloves / eye protection / face protection.
	ear protective gloves / eye protection / face protection.
	round/bond container and receiving equipment.
	se only non-sparking tools.
	ke precautionary measures against static discharge.
	ash thoroughly after handling.
	o not eat, drink or smoke when using this product.
	se only outdoors or in a well-ventilated area.
If	on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If	in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Co	ontinue rinsing.
Sp	pecific treatment (see on this label).
ĪĒ	SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
IF	INHALED: Remove person to fresh air and keep comfortable for breathing.
If	skin irritation occurs: Get medical advice/attention.
If	eye irritation persists: Get medical advice/attention.
Ri	nse mouth.
	case of fire: Use for extinction: CO2, powder or water spray.
	ke off contaminated clothing and wash it before reuse.
St	ore in a well-ventilated place. Keep container tightly closed.
St	ore in a well-ventilated place. Keep cool.
St	ore locked up.
	spose of contents/container in accordance with local/regional/national/international regulations.
Cl	hemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Page 10/11



Printing date 02/27/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 10)

Page 11/11

6 Other information	
	sed on our present knowledge. However, this shall not constitute a guarantee for any specifi hall not establish a legally valid contractual relationship.
· Department issuing S	DS:
Zymo Research Corp.	
Safety Department	
17062 Murphy Ave.	
Irvine, CA 92614	
USA	
	1 000 000 0700
Phone: 1-949-679-119	
· Contact: sds@zymore	
Date of preparation /	last revision 02/27/2017 / -
Abbreviations and act	onyms:
ADR: Accord européen sur	le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
of Dangerous Goods by Roa	
	me Code for Dangerous Goods
DOT: US Department of Tr	
IATA: International Air Tra	
	nce of Governmental Industrial Hygienists
	ry of Existing Commercial Chemical Substances Notified Chemical Substances
1	ervice (division of the American Chemical Society)
NFPA: National Fire Protec	
	s Identification System (USA)
VOC: Volatile Organic Cor	
LC50: Lethal concentration	
LD50: Lethal dose, 50 perce	ent
PBT: Persistent, Bioaccum	
vPvB: very Persistent and v	
NIOSH: National Institute f	
OSHA: Occupational Safet	
TLV: Threshold Limit Valu PEL: Permissible Exposure	
REL: Recommended Exposure	
BEI: Biological Exposure L	
Flam. Liq. 2: Flammable lic	
Acute Tox. 4: Acute toxicit	
Skin Irrit. 2: Skin corrosion	
	amage/eye irritation – Category 2A
STOT SE 3: Specific target	organ toxicity (single exposure) - Category 3



Printing date 02/27/2017

Reviewed on 12/08/2016

Page 1/11

1 Tutting unie 02/27/2017	<i>Reviewed on</i> 12/00/2010
1 Identification	
· Product identifier	
· Trade name: g-DNA Wash Buffer	
• Article number: D3004-2-50, D3004-2-100, D3004-2-200, D3004-2-250, D3004-2- • Application of the substance / the mixture Laboratory Reagent	-400
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
· Information department: Product safety department	
• <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1	1190
2 Hazard(s) identification Classification of the substance or mixture 	
GHS02 Flame	
Flam. Liq. 3 H226 Flammable liquid and vapor.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H336 May cause drowsiness or dizziness.	
 Label elements GHS label elements The product is classified and labeled according to the Globally Hazard pictograms GHS02, GHS07 Signal word Warning 	Harmonized System (GHS).
 Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. 	
Causes serious eye irritation.	
May cause drowsiness or dizziness. • <i>Precautionary statements</i>	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing dust/fume/gas/mist/vapors/spray	



Printing date 02/27/2017

Trade name: g-DNA Wash Buffer

Reviewed on 12/08/2016

	(Contd. of page 1)
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and e	asy to do.
Continue rinsing.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a POISON CENTER/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.	
• Classification system:	
· NFPA ratings (scale 0 - 4)	
A A A A A A A A A A A A A A A A A A A	
Health $= 1$	
Fire $= 3$	
Reactivity = 0	
• HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 1 \\ \end{array} \\ \begin{array}{c} \text{Health} = 1 \\ \end{array}$	
FIRE 3 Fire = 3	
REACTIVITY Reactivity = 0	
• Other hazards	
· Other nazaras · Results of PBT and vPvB assessment	
· <i>PBT</i> : Not applicable.	
• <i>vPvB</i> : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 64-17-5 ethanol	≤25%
CAS: 67-63-0 propan-2-ol	≤25%

(Contd. on page 3)

US

Page 2/11



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* Inhalation of vapors, mists or sprays can cause drowsiness, dizziness, and other central nervous system effects. Accidental eye contact can cause serious irritation.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 3)

Page 4/11

• *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol	
PEL Long-term value: 1900 mg/m ³ , 1000 ppm	
REL Long-term value: 1900 mg/m ³ , 1000 ppm	
TLV Short-term value: 1880 mg/m ³ , 1000 ppm	
CAS: 67-63-0 propan-2-ol	
PEL Long-term value: 980 mg/m ³ , 400 ppm	
REL Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm	
TLV Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI	
Ingredients with biological limit values:	
CAS: 67-63-0 propan-2-ol	
BEI 40 mg/L	
Medium: urine	
Time: end of shift at end of workweek	
Parameter: Acetone (background, nonspecific)	
Additional information: The lists that were valid during the creation were used as basis.	
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
	(Contd. on page 5



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation


· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	>30 °C (>86 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	

Page 5/11

(Contd. of page 4)



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

	(Contd. of page 5
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.0 Vol %
Upper:	15.0 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
\cdot Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	50.0 %
VOC content:	50.0 %
	500.0 g/l / 4.17 lb/gl
• Other information	No further relevant information available.

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include carbon monoxide and carbon dioxide
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:
- Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

· Information on toxicological effects

May be harmful by inhalation. Material is irritating to mucous membranes and upper respiratory tract.

(Contd. on page 7)

Page 6/11



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

	(Contd. of page 6)
· Acute toxicity:	
· Primary irritar	ıt effect:
• on the skin: No	o irritant effect.
• on the eye:	
Causes severe	eye irritation
Irritating effect	
	No sensitizing effects known.
	icological information:
	apors/mists, and sprays of this product can cause dizzness, drowsiness and other central nervous
system effects.	
-	ows the following dangers according to internally approved calculation methods for preparations:
Irritant	
· Carcinogenic d	categories
· IARC (Interna	tional Agency for Research on Cancer)
CAS: 64-17-5	ethanol 1
CAS: 67-63-0	propan-2-ol 3
· NTP (National	l Toxicology Program)
None of the ing	gredients is listed.
· OSHA-Ca (Oc	cupational Safety & Health Administration)
None of the inc	verdiants is listed

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

(Contd. on page 8)

Page 7/11



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 7)

· Uncleaned packagings:

· Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol, Ethanol)
- IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL)
· Transport hazard class(es)	
DOT	
PLAMMABLE LIQUID	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
Class	3 Flammable liquids
· Label	3
Packing group	
· DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A
Transport in bulk according to Annex	<i>II of</i> Not applicable.



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

	(Contd. of page 8
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ISOPROPANOL, ETHANOL), 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 ethanol

CAS: 67-63-0 propan-2-ol

(Contd. on page 10)

Page 9/11

A3

A4



Printing date 02/27/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

NIO	(Contd. of page SH-Ca (National Institute for Occupational Safety and Health)
	e of the ingredients is listed.
Haze	S label elements The product is classified and labeled according to the Globally Harmonized System (GHS). ard pictograms GHS02, GHS07 al word Warning
Haze	ard-determining components of labeling:
	ban-2-ol
ethai	
Haze	ard statements
Flam	nmable liquid and vapor.
	ses serious eye irritation.
May	cause drowsiness or dizziness.
Prec	cautionary statements
Keej	p away from heat/sparks/open flames/hot surfaces. No smoking.
Use	explosion-proof electrical/ventilating/lighting/equipment.
	id breathing dust/fume/gas/mist/vapors/spray
	r protective gloves / eye protection / face protection.
	und/bond container and receiving equipment.
	only non-sparking tools.
	e precautionary measures against static discharge.
	h thoroughly after handling.
	only outdoors or in a well-ventilated area.
	n skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	tinue rinsing.
	NHALED: Remove person to fresh air and keep comfortable for breathing.
	a POISON CENTER/doctor if you feel unwell.
	re irritation persists: Get medical advice/attention.
	ase of fire: Use for extinction: CO2, powder or water spray.
	e in a well-ventilated place. Keep container tightly closed.
	e in a well-ventilated place. Keep cool.
	e locked up.
	pose of contents/container in accordance with local/regional/national/international regulations.
Chei	mical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682

(Contd. on page 11)

US -



Printing date 02/27/2017

Trade name: g-DNA Wash Buffer

Reviewed on 12/08/2016

Page 11/11


(Contd. of page 10) · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/27/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

us -



Printing date 02/27/2017

Reviewed on 12/03/2015



(Contd. on page 2)

Page 1/8



Printing date 02/27/2017

Trade name: DNA Elution Buffer

Reviewed on 12/03/2015

(Contd. of page 1)

Page 2/8

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

CAS: 1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m3
CAS: 6381-92-6	Edetate Disodium, Dihydrate	30 mg/m3
	(Co	ntd. on page 3)



Printing date 02/27/2017

Reviewed on 12/03/2015

Trade name: DNA Elution Buffer

	(Contd. of page 2
• PAC-2:	
CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m3
CAS: 6381-92-6 Edetate Disodium, Dihydrate	330 mg/m3
· PAC-3:	
CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m3
	2,000 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Page 3/8

US



Printing date 02/27/2017

Reviewed on 12/03/2015

(Contd. of page 3)

Trade name: DNA Elution Buffer

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Goggles recommended during refilling.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor: Odor threshold:	Odorless Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	



Printing date 02/27/2017

Reviewed on 12/03/2015

Trade name:	DNA	Elution	Buffer
-------------	-----	---------	--------

	(Contd. of	page 4)
· Solvent content:		
Organic solvents: VOC content:	0.0 % 0.0 g/l / 0.00 lb/gl	
Solids content:	2.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

Page 5/8



Printing date 02/27/2017

Reviewed on 12/03/2015

(Contd. of page 5)

Trade name: DNA Elution Buffer

· Behavior in environmental systems:

- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · *Recommendation:* Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

(Contd. on page 7)

Page 6/8



Printing date 02/27/2017

Trade name: DNA Elution Buffer

Reviewed on 12/03/2015

(Contd. of page 6)

Page 7/8

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA



Printing date 02/27/2017

Reviewed on 12/03/2015

Trade name: DNA Elution Buffer

(Contd. of page 7) Phone: 1-949-679-1190 or 1-888-882-9682 Contact: sds@zymoresearch.com Date of preparation / last revision 02/27/2017 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health T.V: Threshold Limit Value PEL: Permissible Exposure Limit RE: Recommended Exposure Limit		
 Contact: sds@zymoresearch.com Date of preparation / last revision 02/27/2017 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit 		(Contd. of page 7)
 Date of preparation / last revision 02/27/2017 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit 	Phone: 1-949-679-1190 or 1-888-882-9682	
 Date of preparation / last revision 02/27/2017 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit 	· Contact: sds@zymoresearch.com	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	•	
of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	• Abbreviations and acronyms:	
 IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit 		national Carriage
DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	IATA: International Air Transport Association	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	EINECS: European Inventory of Existing Commercial Chemical Substances	
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	ELINCS: European List of Notified Chemical Substances	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, ÉU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	NFPA: National Fire Protection Association (USA)	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	HMIS: Hazardous Materials Identification System (USA)	
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
TLV: Threshold Limit Value PEL: Permissible Exposure Limit		
PEL: Permissible Exposure Limit	1 2	
1		
REL: Recommended Exposure Limit	1	
	REL: Recommended Exposure Limit	
		US US

Page 8/8



Printing date 02/27/2017

Reviewed on 12/23/2015

Page 1/10

1 Identification · Product identifier · Trade name: MagBinding Beads · Article number: D4100-2-6, D4100-2-8, D4100-2-12, D4100-2-16, D4100-2-24 · Application of the substance / the mixture Laboratory Reagent · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com · Information department: Product safety department · Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification · Classification of the substance or mixture GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labeling: guanidinium chloride · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Wear protective gloves / eye protection / face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. (Contd. on page 2) US



Printing date 02/27/2017

Reviewed on 12/23/2015

Trade name: MagBinding Beads

(Contd. of page 1) If eye irritation persists: Get medical advice/attention. Rinse mouth. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 11 FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 50-01-1 guanidinium chloride

≤100%

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Page 2/10



Printing date 02/27/2017

Reviewed on 12/23/2015

Page 3/10

(Contd. of page 2)

Trade name: MagBinding Beads

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

 \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 50-01-1	guanidinium chloride	1.4 mg/m3		
CAS: 1309-37-1	diiron trioxide	15 mg/m3		
CAS: 7631-86-9	silicon dioxide, chemically prepared	18 mg/m3		
· PAC-2:				
CAS: 50-01-1	guanidinium chloride	16 mg/m3		
CAS: 1309-37-1	diiron trioxide	360 mg/m3		
CAS: 7631-86-9	silicon dioxide, chemically prepared	740 mg/m3		
• PAC-3:				
CAS: 50-01-1	guanidinium chloride	94 mg/m3		
CAS: 1309-37-1	diiron trioxide	2,200 mg/m3		
CAS: 7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m3		

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

US



Printing date 02/27/2017

Trade name: MagBinding Beads

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Page 4/10

(Contd. of page 3)

Reviewed on 12/23/2015

US



Printing date 02/27/2017

Reviewed on 12/23/2015

Trade name: MagBinding Beads



Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Suspension	
Color:	Dark	
Odor:	undistinguishable	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	> 370 °C (> 698 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity: Dynamic:	Not determined.	

(Contd. of page 4)

US



Printing date 02/27/2017

Reviewed on 12/23/2015

Trade name: MagBinding Beads

	()	Contd. of page 5)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	80.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 1309-37-1 diiron trioxide

CAS: 7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

3

3

Page 6/10



Printing date 02/27/2017

Trade name: MagBinding Beads

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in accordance with local/regional/national and international recommendations.

· UN-Number		
· DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	

(Contd. of page 6)

Page 7/10

Reviewed on 12/23/2015



Printing date 02/27/2017

Reviewed on 12/23/2015

Page 8/10

(Contd. of page 7)

Trade name: MagBinding Beads

• Environmentai nazaras.		Environmental	hazards:
--------------------------	--	---------------	----------

Not applicable. Not applicable.

not regulated

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

• UN "Model Regulation":

· Special precautions for user

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 1309-37-1 diiron trioxide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS07

· Signal word Warning

• *Hazard-determining components of labeling:* guanidinium chloride

(Contd. on page 9)

A4

[–] US



Printing date 02/27/2017

Reviewed on 12/23/2015

Trade name: MagBinding Beads

(Contd. of page 8) · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Wear protective gloves / eye protection / face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/27/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

Page 9/10

(Contd. on page 10)

⁻ US



Printing date 02/27/2017

Reviewed on 12/23/2015

Trade name: MagBinding Beads

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A (Contd. of page 9)

Page 10/10

US –